ELSEVIER

Thin Solid Films 337 (1999) 270–271

thin solid films

Author Index of Volume 337

Achiq, A., 74
Águas, H., 222
Andrä, G., 98
Arai, T., 113, 235
Armstrong, B.M., 55
Arnodo, C., 180
Ayres, J.R., 188

Baía, I., 171
Baine, P.T., 55
Ballesteros, C., 51
Bergmann, J., 98
Bergmann, R.B., 129
Bläsing, J., 41
Boher, P., 133
Bonnaud, O., 101, 133
Bourée, J.E., 248
Bremond, G., 85
Brenot, R., 37
Brenot, R., 63
Brini, J., 105
Brotherton, S.D., 188
Bruno, G., 59
Brylinski, C., 180
Bulkin, P., 37
Burden, A.P., 257
Buzaneva, E., 166

Canet, P., 184
Capezzuto, P., 59
Capitan, M., 152
Carchano, H., 184
Carluccio, R., 137
Cassette, S., 180
Caussat, B., 93
Caymax, M., 85
Chizhik, S., 166
Chu, V., 203
Cicala, G., 59
Clement, M., 253
Conde, J.P., 203
Cosmin, P., 82
Couderc, J.P., 93

Daami, A., 85
Dassow, R., 129
Dayoub, F., 208
de Mauduit, B., 93
de Unamuno, S., 143
Delabouglise, G., 163
Della Sala, D., 137
Diez, A., 41
Dimitriadis, C.A., 105
Drévillon, B., 63, 37
Drüsedau, T.P., 41
Dubravin, A., 166

Edelman, F., 152
Edwards, M.J., 188
Equer, B., 248
Evtukh, A.A., 261

Falk, F., 98
Fantoni, A., 109
Farmakis, F.V., 105
Fernandes, B., 176
Ferrari, A.C., 71
Fisher, C.A., 188
Fogarassy, E., 143
Foglietti, V., 137, 196
Forrest, R.D., 257
Fortmann, C.M., 18, 45
Fortunato, E., 158, 176, 222
Fortunato, G., 137, 196

Gamble, H.S., 55
Gartner, M., 82
Giorgis, F., 232
Giuliani, F., 232
Glaister, C., 188
Godard, B., 143
Gorchinskiy, A., 166
Gourbilleau, F., 74
Gowers, J.P., 188
Gregora, I., 148
Griesche, J., 152
Guillet, J., 248
Guimarães, N., 222

Hamma, S., 23
Hasegawa, S., 27, 67
Hazra, S., 7
Helen, Y., 133
Hofrichter, A., 37
Hsu, K.Y.-J., 226

Iborra, E., 253
Iiyori, H., 113
Il Cho, S., 200
Inokuma, T., 27, 67

Jang, J., 78, 200
Jesus, C., 203
Jiang, Y-L., 226
Jin Choi, Y., 200

Kakanakova-Georgieva, A., 180
Kamarinos, G., 105
Kamiya, T., 18, 45
Ki Kim, S., 200
Kittler, M., 85
Kleider, J.P., 208
Kling, A., 51
Köhler, J.R., 129
Komem, Y., 152
Kostana, M., 78
Kovtyukhova, N., 166
Krinke, J., 129
Kruger, O., 85
Kurata, Y., 27, 67
Kuroda, K., 235

Labeau, M., 163
Lalande, F., 184
Lee, B., 55
Legagneux, P., 137, 143
Lombardo, S.A., 90
Longeaud, C., 208
Loo, R., 85
Lubguban Jr., .J., 67

Mandracci, P., 232
Marchenko, A., 166
Marinova, Ts., 180
Mariucci, L., 137, 196
Martins, R., 109, 158, 171, 176, 222
Mathieu, N., 105
Matsuda, A., 1
Matsumura, M., 123
McCulloch, D.J., 188
Mendes, L., 171
Mendes, M., 222
Miida, A., 18, 45
Milne, W.I., 71
Mitchell, S.J.N., 55
Modreanu, M., 82
Mohammed-Brahim, T., 63, 101, 133
Moniruzzaman, S., 27
Morrison, N.A., 71
Mourgues, K., 101, 133
Moy, J-P., 213
Mukhopadhayay, S., 7

Nakahata, K., 18, 45
Noblanc, O., 180
Nunes, P., 171, 176

Oh, C-H., 123
Olivares, J., 51
Ollivier, P.J., 166
Ose, E., 98
Ossadnik, Ch., 148
Osten, H.-J., 152

Paillard, V., 93
Pecora, A., 137
Perrière, J., 253
Pesty, O., 184
Pichon, L., 101
Pietruszko, S.M., 78, 200
Plais, F., 143
Poortmans, J., 85
Powell, M.J., 32
Pribat, D., 137, 143
Priolo, F., 90
Prochasson, S., 133
Puech, P., 93

Quinn, L.J., 55
Quintela, M., 171

Rahal, A., 101
Raoult, F., 101, 133
Rastello, M.L., 232
Rava, P., 232
Ray, S., 7
Raz, T., 152
Redondo, L.M., 203
Reita, C., 266
Rizk, R., 74
Robertson, J., 32, 71
Roca i Cabarrocas, P., 23, 63

0040-6090/98/$ - see front matter © 1999 Elsevier Science S.A. All rights reserved.
PII S0040-6090(98)01749-0

Rodil, S.E., 71
Rodríguez, A., 51
Rodríguez, T., 51
Rogel, R., 133

Saha, S.C., 7, 248
Said, K., 85
Saitoh, A., 67
Saka, H., 235
Sakuma, Y., 12
Sangrador, J., 51, 253
Scheid, E., 93
Schubert, M.B., 240
Seguin, J.L., 184
Shimizu, I., 18, 45
Shirai, H., 12
Shung, J-Y., 226
Sik Cho, K., 200
Silva, H., 203
Silva, M.F., 203
Silva, S.R.P., 257
Silva, V., 222
Smirnova, N., 166
Soares, F., 222
Soares, J.C., 203
Spinella, C., 90
Stehle, M., 143
Stoemenos, J., 137
Stölzer, M., 152
Strunk, H.P., 129
Tadeev, A.V., 163
Takatsuji, H., 113, 235
Takenaka, S., 27
Tala-Ighil, B., 101
Temple-Boyer, P., 93
Teodoro, P., 222
Tomozeiu, N., 82
Toutah, A., 101
Trainor, M., 188
Tsai, C-J., 226
Tsuji, S., 235

Ueyama, H., 12

Vanderhaghen, R., 63
Vepřek, S., 148
Vetter, M., 118
Vieira, M., 109
Vilarinho, P., 176
Voivenel, P., 74

Werner, J.H., 129
Werner, P., 152

Zahorski, D., 133
Zaumseil, P., 152

ELSEVIER

Thin Solid Films 337 (1999) 272–277

thin solid films

Subject Index of Volume 337

Aluminum thin film
Al-based sputter-deposited films for large liquid-crystal-display, 235
Aluminum-rare-earth alloy
Nitrogen-added Al rare-earth alloys for thin film transistors, 113
AMLCDs
Laser crystallised poly-Si TFTs for AMLCDs, 188
Amorphous buffer layer
Crystallization control of the amorphous buffer layer in hydrogenated nanocrystalline silicon, 74
Amorphous hydrogenated carbon
Enhancing the field emission properties of amorphous carbon films by thermal annealing, 257
Amorphous semiconductor
Enhancing the field emission properties of amorphous carbon films by thermal annealing, 257
Amorphous
Ge:Si:O evaporated alloys as a thermosensitive layer for large area bolometers, 253
Amorphous silicon
Shape of grain size distributions during crystal grain nucleation in a-Si, 90
Stability of low pressure chemical vapour deposition amorphous silicon, 78
Single shot excimer laser crystallization and LPCVD silicon TFT's, 133
Role of the resistive layer on the performances of 2D a-Si:H thin film position sensitive detectors, 158
Coplanar amorphous silicon thin film transistor fabricated by inductively-coupled plasma CVD, 200
Electronic properties of bottom gate silicon nitride/hydrogenated amorphous silicon structures, 208
Large area X-ray detectors based on amorphous silicon technology, 213
Characteristics of a linear array of a-Si:H thin film position sensitive detector, 222
Design issues of two-dimensional amorphous silicon position-sensitive detectors, 226
Stability and quantum efficiency of a novel type of a-Si:H/a-SiC:H based UV detector, 232
Low temperature silicon deposition for large area sensors and solar cells, 240
Annealing
Performances exhibited by large area ITO layers produced by r.f. magnetron sputtering, 171
Enhancing the field emission properties of amorphous carbon films by thermal annealing, 257
Array
Large area X-ray detectors based on amorphous silicon technology, 213
Asperities
Influence of surface morphology of the polycrystalline silicon on field electron emission, 261

Bottom gate
Electronic properties of bottom gate silicon nitride/hydrogenated amorphous silicon structures, 208

Carbon monoxide
Sensor properties of Pt doped SnO_2 thin films for detecting CO, 163
Channel reduction
A new method for the determination of the channel length reduction in polysilicon thin film transistors (TFTs), 105
Characterization
Properties of polycrystalline silicon films prepared from fluorinated precursors, 7
Chemical vapor deposition
Control of orientation from random to (220) or (400) in polycrystalline silicon films, 18
Coatings
Performances presented by zinc oxide thin films deposited by spray pyrolysis, 176
Coevaporation
Ge:Si:O evaporated alloys as a thermosensitive layer for large area bolometers, 253
Copper vapor laser
Large-grained polycrystalline silicon on glass by copper vapor laser annealing, 129
Crystallization
Large-grained polycrystalline silicon on glass by copper vapor laser annealing, 129
Stability and transport properties of microcrystalline $Si_{1-x}Ge_x$ films, 152
Crystallized polysilicon
Lateral growth control in excimer laser crystallized polysilicon, 137
μc-Si:H
The control of the high-density microwave plasma for large-area electronics, 12
Transport properties of μc-Si:H analyzed by means of numerical simulation, 109

Dark conductivity
Device-quality polycrystalline silicon films deposited at low process temperatures by hot-wire chemical vapor deposition, 248
Defect pool
Electronic properties of bottom gate silicon nitride/hydro-

0040-6090/98/$ - see front matter © 1999 Elsevier Science S.A. All rights reserved.
PII S0040-6090(98)01750-7

genated amorphous silicon structures, 208
Density of states (DOS) model
Temperature analysis of polysilicon thin-film transistors made by excimer laser crystallization, 196
Deposition
Deposition, defect and weak bond formation processes in a-Si:H, 32
Deposition process
Performances presented by zinc oxide thin films deposited by spray pyrolysis, 176
Devices
Role of the resistive layer on the performances of 2D a-Si:H thin film position sensitive detectors, 158
Characteristics of a linear array of a-Si:H thin film position sensitive detector, 222
Dielectric properties
Stability of the dielectric properties of PECVD deposited carbon-doped SiOF Films, 67
Dislocation
High quality, relaxed SiGe epitaxial layers for solar cell application, 85
Displays
From materials to products: a system perspective, 266
Doping
Stability of low pressure chemical vapour deposition amorphous silicon, 78

Electrical properties
Self-assembly of ultrathin composite TiO_2/polymer films, 166
Performances presented by zinc oxide thin films deposited by spray pyrolysis, 176
Electron beam induced current
High quality, relaxed SiGe epitaxial layers for solar cell application, 85
Electron cyclotron wave resonance
High rate deposition of ta-C:H using an electron cyclotron wave resonance plasma source, 71
Electron transport
Stability and transport properties of microcrystalline $Si_{1-x}Ge_x$ films, 152
Ellipsometry
Microcrystalline silicon growth on a-Si:H: effects of hydrogen, 23
Excimer laser
Surface melt dynamics and super lateral growth regime in long pulse duration excimer laser crystallization of amorphous Si films, 143
Excimer laser crystallization
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123
Temperature analysis of polysilicon thin-film transistors made by excimer laser crystallization, 196

FED
Enhancing the field emission properties of amorphous carbon films by thermal annealing, 257
Field electron emission
Influence of surface morphology of the polycrystalline silicon on field electron emission, 261
Field emission
Enhancing the field emission properties of amorphous carbon films by thermal annealing, 257
Field-effect passivation
Surface passivation of silicon by rf magnetron-sputtered silicon nitride films, 118
Fluorine
Polycrystalline silicon film growth in a $SiF_4/SiH_4/H_2$ plasma, 55

Germanium
Ge:Si:O evaporated alloys as a thermosensitive layer for large area bolometers, 253
Grain
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123

Hetero junction
Surface passivation of silicon by rf magnetron-sputtered silicon nitride films, 118
High rate deposition
The control of the high-density microwave plasma for large-area electronics, 12
High rate deposition of ta-C:H using an electron cyclotron wave resonance plasma source, 71
High-density plasma
The control of the high-density microwave plasma for large-area electronics, 12
Hillocks
Nitrogen-added Al rare-earth alloys for thin film transistors, 113
Stability and transport properties of microcrystalline $Si_{1-x}Ge_x$ films, 152
Hot-wire CVD
Device-quality polycrystalline silicon films deposited at low process temperatures by hot-wire chemical vapor deposition, 248
Hot-wire deposition
Low temperature silicon deposition for large area sensors and solar cells, 240
Hydrogen
Microcrystalline silicon growth on a-Si:H: effects of hydrogen, 23
Hydrogenated amorphous silicon
Deposition, defect and weak bond formation processes in a-Si:H, 32
Hydrogenated nanocrystalline silicon
Crystallization control of the amorphous buffer layer in hydrogenated nanocrystalline silicon, 74
Hydrogenation
Stability of low pressure chemical vapour deposition amorphous silicon, 78

Indium tin oxide
Performances exhibited by large area ITO layers produced by r.f. magnetron sputtering, 171
Infrared absorption
Optical properties of LPCVD silicon oxynitride, 82
Integrated distributed electron cyclotron resonance
Deposition of microcrystalline silicon in an integrated

distributed electron cyclotron resonance PECVD reactor, 37
Interface reaction
XPS characterization of tungsten-based contact layers on 4H–SiC, 180
Ion implantation
Ion implantation of microcrystalline silicon for low process temperature top gate thin film transistors, 203

Kink effect
Temperature analysis of polysilicon thin-film transistors made by excimer laser crystallization, 196

Large area electronics
From materials to products: a system perspective, 266
Large glass substrate
Al-based sputter-deposited films for large liquid-crystal-display, 235
Large-area plasma
The control of the high-density microwave plasma for large-area electronics, 12
Large-grained polycrystalline silicon
Large-grained polycrystalline silicon on glass by copper vapor laser annealing, 129
Laser crystallization
In-situ diagnostics for preparation of laser crystallized silicon films on glass for solar cells, 98
Lateral growth
Lateral growth control in excimer laser crystallized polysilicon, 137
Long range effects
Microcrystalline silicon growth on a-Si:H: effects of hydrogen, 23
Low pressure chemical vapor deposition
Optical properties of LPCVD silicon oxynitride, 82
Improved characterization of polycrystalline silicon film, by resonant Raman scattering, 93
Low-electron temperature
The control of the high-density microwave plasma for large-area electronics, 12
Low-temperature deposition
Device-quality polycrystalline silicon films deposited at low process temperatures by hot-wire chemical vapor deposition, 248

Magnetron-sputtering
Deposition of nanocrystalline silicon mediated by ultrathin aluminum underlayers by PCVD and sputter-deposition at 500 K, 41
Melting grains
Surface melt dynamics and super lateral growth regime in long pulse duration excimer laser crystallization of amorphous Si films, 143
Metal-induced crystallization
Deposition of nanocrystalline silicon mediated by ultrathin aluminum underlayers by PCVD and sputter-deposition at 500 K, 41
Metastability
Stability of low pressure chemical vapour deposition amorphous silicon, 78
Microcrystalline silicon
Growthmechanism of microcrystalline silicon obtained from reactive plasmas, 1
Microcrystalline silicon growth on a-Si:H: effects of hydrogen, 23
Deposition of microcrystalline silicon in an integrated distributed electron cyclotron resonance PECVD reactor, 37
Contactless electronic transport analysis of microcrystalline silicon, 63
Ion implantation of microcrystalline silicon for low process temperature top gate thin film transistors, 203
Microwave plasma
The control of the high-density microwave plasma for large-area electronics, 12

Nanocrystalline silicon
Applicability of Raman scattering for the characterization of nanocrystalline silicon, 148
Nanocrystallites
Deposition of nanocrystalline silicon mediated by ultrathin aluminum underlayers by PCVD and sputter-deposition at 500 K, 41
nc-Si:H
Plasma enhanced chemical vapor deposition of nanocrystalline silicon films from SiF_4-H_2-He at low temperature, 59
Nitrogen
Nitrogen-added Al rare-earth alloys for thin film transistors, 113
Nucleation
Shape of grain size distributions during crystal grain nucleation in a-Si, 90
Nucleation density
Structure of polycrystalline silicon films deposited at low temperature by plasma CVD on substrates exposed to different plasma, 27
Numerical simulation
Transport properties of μc-Si:H analyzed by means of numerical simulation, 109

Optical
Optical properties of LPCVD silicon oxynitride, 82
Optical diagnostics
In-situ diagnostics for preparation of laser crystallized silicon films on glass for solar cells, 98
Optical emission spectroscopy
Plasma enhanced chemical vapor deposition of nanocrystalline silicon films from SiF_4-H_2-He at low temperature, 59
Optical properties
Performances presented by zinc oxide thin films deposited by spray pyrolysis, 176
Orientation control
Control of orientation from random to (220) or (400) in polycrystalline silicon films, 18
Oxynitride
Optical properties of LPCVD silicon oxynitride, 82

Passivation
Surface passivation of silicon by rf magnetron-sputtered silicon nitride films, 118

PCVD
Deposition of nanocrystalline silicon mediated by ultrathin aluminum underlayers by PCVD and sputter-deposition at 500 K, 41
Phase-shift
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123
Photoconductor
Large area X-ray detectors based on amorphous silicon technology, 213
Photoelectrical properties
Stability and quantum efficiency of a novel type of a-Si:H/a-SiC:H based UV detector, 232
Pixel
Large area X-ray detectors based on amorphous silicon technology, 213
Plasma deposition
Coplanar amorphous silicon thin film transistor fabricated by inductively-coupled plasma CVD, 200
Plasma enhanced chemical vapor deposition
Properties of polycrystalline silicon films prepared from fluorinated precursors, 7
Structure of polycrystalline silicon films deposited at low temperature by plasma CVD on substrates exposed to different plasma, 27
Deposition of microcrystalline silicon in an integrated distributed electron cyclotron resonance PECVD reactor,
37
Carrier transport, structure and orientation in polycrystalline silicon on glass, 45
Enhancing the field emission properties of amorphous carbon films by thermal annealing, 257
Polycrystal silicon
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123
Polycrystalline silicon
Properties of polycrystalline silicon films prepared from fluorinated precursors, 7
Improved characterization of polycrystalline silicon film, by resonant Raman scattering, 93
Influence of surface morphology of the polycrystalline silicon on field electron emission, 261
Device-quality polycrystalline silicon films deposited at low process temperatures by hot-wire chemical vapor deposition, 248
Polycrystalline GaAsS
Insulating layers of polycrystalline GaAsS compounds grown by reactive plasma sputtering, 184
Polycrystalline silicon layers
In-situ diagnostics for preparation of laser crystallized silicon films on glass for solar cells, 98
Polycrystalline silicon on glass
Carrier transport, structure and orientation in polycrystalline silicon on glass, 45
Polycrystalline silicon thin film
Control of orientation from random to (220) or (400) in polycrystalline silicon films, 18
Polycrystalline-SiGe
Solid-phase crystallization of amorphous SiGe films deposited by LPCVD on SiO_2 and glass, 51
Polymer
Self-assembly of ultrathin composite TiO_2/polymer films, 166
Poly-Si
Structure of polycrystalline silicon films deposited at low temperature by plasma CVD on substrates exposed to different plasma, 27
Poly-Si TFTs
Laser crystallised poly-Si TFTs for AMLCDs, 188
Polysilicon
Polycrystalline silicon film growth in a $SiF_4/SiH_4/H_2$ plasma, 55
State creation induced by gate bias stress in unhydrogenated polysilicon TFTs, 101
A new method for the determination of the channel length reduction in polysilicon thin film transistors (TFTs), 105
Polysilicon films
Single shot excimer laser crystallization and LPCVD silicon TFT's, 133
Porous Si
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123
Position sensors
Role of the resistive layer on the performances of 2D a-Si:H thin film position sensitive detectors, 158
Characteristics of a linear array of a-Si:H thin film position sensitive detector, 222
Position-sensitive detector
Design issues of two-dimensional amorphous silicon position-sensitive detectors, 226
Products
From materials to products: a system perspective, 266
Pt-doped SnO_2
Sensor properties of Pt doped SnO_2 thin films for detecting CO, 163

Quenching
Stability of low pressure chemical vapour deposition amorphous silicon, 78

r.f. magnetron sputtering
Performances exhibited by large area ITO layers produced by r.f. magnetron sputtering, 171
Raman sattering
Improved characterization of polycrystalline silicon film, by resonant Raman scattering, 93
Applicability of Raman scattering for the characterization of nanocrystalline silicon, 148
Rapid thermal anneals
Shape of grain size distributions during crystal grain nucleation in a-Si, 90
Reactive plasma sputtering
Insulating layers of polycrystalline GaAsS compounds grown by reactive plasma sputtering, 184
Reactive plasmas
Growthmechanism of microcrystalline silicon obtained from reactive plasmas, 1
Reannealing
Performances exhibited by large area ITO layers produced

by r.f. magnetron sputtering, 171
Reduced pressure chemical vapor deposition
High quality, relaxed SiGe epitaxial layers for solar cell application, 85
Reliability
State creation induced by gate bias stress in unhydrogenated polysilicon TFTs, 101
Remote type microwave plasma
Control of orientation from random to (220) or (400) in polycrystalline silicon films, 18
RF sputtering
Crystallization control of the amorphous buffer layer in hydrogenated nanocrystalline silicon, 74

Scintillator
Large area X-ray detectors based on amorphous silicon technology, 213
Secondary ion mass spectrometry
Microcrystalline silicon growth on a-Si:H: effects of hydrogen, 23
Sensor properties
Sensor properties of Pt doped SnO_2 thin films for detecting CO, 163
$Si_{-x}Ge_x$ layers
High quality, relaxed SiGe epitaxial layers for solar cell application, 85
SiF_4-H_2-He plasma
Plasma enhanced chemical vapor deposition of nanocrystalline silicon films from SiF_4-H_2-He at low temperature, 59
SiH_2Cl_2
The control of the high-density microwave plasma for large-area electronics, 12
Silicon
Ge:Si:O evaporated alloys as a thermosensitive layer for large area bolometers, 253
Silicon crystallization
Surface melt dynamics and super lateral growth regime in long pulse duration excimer laser crystallization of amorphous Si films, 143
Silicon nitride
Electronic properties of bottom gate silicon nitride/hydrogenated amorphous silicon structures, 208
Silicon nitride
Surface passivation of silicon by rf magnetron-sputtered silicon nitride films, 118
Silicon–germanium films
Stability and transport properties of microcrystalline $Si_{1-x}Ge_x$ films, 152
SiO_2:F:C
Stability of the dielectric properties of PECVD deposited carbon-doped SiOF Films, 67
SOI
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123
Solar cells
Surface passivation of silicon by rf magnetron-sputtered silicon nitride films, 118
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123
Solid-phase crystallization
Solid-phase crystallization of amorphous SiGe films deposited by LPCVD on SiO_2 and glass, 51
Spectral response
Design issues of two-dimensional amorphous silicon position-sensitive detectors, 226
Spokewise antenna
The control of the high-density microwave plasma for large-area electronics, 12
Sputtering
Surface passivation of silicon by rf magnetron-sputtered silicon nitride films, 118
Al-based sputter-deposited films for large liquid-crystal-display, 235
Structural properties
Structure of polycrystalline silicon films deposited at low temperature by plasma CVD on substrates exposed to different plasma, 27
Super lateral growth
Lateral growth control in excimer laser crystallized polysilicon, 137
Surface morphology
Self-assembly of ultrathin composite TiO_2/polymer films, 166
Surface treatment
Structure of polycrystalline silicon films deposited at low temperature by plasma CVD on substrates exposed to different plasma, 27

Taguchi methods
Al-based sputter-deposited films for large liquid-crystal-display, 235
Tetra-fluoro silane
Control of orientation from random to (220) or (400) in polycrystalline silicon films, 18
Tetrahedral amorphous carbon
High rate deposition of ta-C:H using an electron cyclotron wave resonance plasma source, 71
TFT
State creation induced by gate bias stress in unhydrogenated polysilicon TFTs, 101
Thermoresistor
Ge:Si:O evaporated alloys as a thermosensitive layer for large area bolometers, 253
Thin film sensors
Low temperature silicon deposition for large area sensors and solar cells, 240
Thin-film devices
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123
Thin films
Properties of polycrystalline silicon films prepared from fluorinated precursors, 7
Optical properties of LPCVD silicon oxynitride, 82
Role of the resistive layer on the performances of 2D a-Si:H thin film position sensitive detectors, 158
Characteristics of a linear array of a-Si:H thin film position sensitive detector, 222
Stability and quantum efficiency of a novel type of a-Si:H/a-SiC:H based UV detector, 232
Device-quality polycrystalline silicon films deposited at low process temperatures by hot-wire chemical vapor deposition, 248

Thin-film-transistor liquid-crystal displays
Al-based sputter-deposited films for large liquid-crystal-display, 235
Thin film transistors
Solid-phase crystallization of amorphous SiGe films deposited by LPCVD on SiO_2 and glass, 51
Polycrystalline silicon film growth in a $SiF_4/SiH_4/H_2$ plasma, 55
A new method for the determination of the channel length reduction in polysilicon thin film transistors (TFTs), 105
Advanced excimer-laser annealing process for quasi single-crystal silicon thin-film devices, 123
Single shot excimer laser crystallization and LPCVD silicon TFT's, 133
Coplanar amorphous silicon thin film transistor fabricated by inductively-coupled plasma CVD, 200
Ion implantation of microcrystalline silicon for low process temperature top gate thin film transistors, 203
Time resolved measurement
In-situ diagnostics for preparation of laser crystallized silicon films on glass for solar cells, 98
Titanium oxide
Self-assembly of ultrathin composite TiO_2/polymer films, 166
Transport
Contactless electronic transport analysis of microcrystalline silicon, 63
Transport properties
Transport properties of μc-Si:H analyzed by means of numerical simulation, 109

Uniformity
Design issues of two-dimensional amorphous silicon position-sensitive detectors, 226
UV detectors
Stability and quantum efficiency of a novel type of a-Si:H/a-SiC:H based UV detector, 232
UV-visible ellipsometry
Device-quality polycrystalline silicon films deposited at low process temperatures by hot-wire chemical vapor deposition, 248

Vibrational properties
Stability of the dielectric properties of PECVD deposited carbon-doped SiOF Films, 67
Void
Nitrogen-added Al rare-earth alloys for thin film transistors, 113

Water resistivity
Stability of the dielectric properties of PECVD deposited carbon-doped SiOF Films, 67
Weak bond formation
Deposition, defect and weak bond formation processes in a-Si:H, 32
Wet layer-by-layer deposition
Self-assembly of ultrathin composite TiO_2/polymer films, 166
WN/SiC structure
XPS characterization of tungsten-based contact layers on 4H–SiC, 180

X-ray diffraction
Carrier transport, structure and orientation in polycrystalline silicon on glass, 45
Stability and transport properties of microcrystalline $Si_{1-x}Ge_x$ films, 152
Performances presented by zinc oxide thin films deposited by spray pyrolysis, 176
X-ray imaging
Large area X-ray detectors based on amorphous silicon technology, 213
X-ray photoelectron spectroscopy
XPS characterization of tungsten-based contact layers on 4H–SiC, 180

Zinc oxide
Performances presented by zinc oxide thin films deposited by spray pyrolysis, 176